

Multihog CV

Multifunctional Vehicle



75 HPHatz Engine



1.5 m³ / 2 yd³ Hopper Volume



40 kph / 25 mph
Top Speed

Articulated
Steering



3,800 - 4,600 mm / 149 - 181"



1,200 - 1,610 mm / 47 - 63"

Multihog CV: Multi-Purpose Compact Tractor & Sweeper

The Multihog CV is an all-season compact municipal tractor built for efficient year-round tasks. Powered by a 75 HP diesel engine, it delivers up to 40 kph (25 mph) travel speed, hydrostatic drive and articulated steering for tight manoeuvres. With a 1.5 m³ (2 yd³) hopper, quick-change attachments and a smart, ergonomic operator cabin featuring one-button mode changes and digital controls, it simplifies sweeping, mowing, snow duty and more in busy urban environments.



Technical Specifications

Engine -

Engine: 75 HP Hatz Diesel Engine

Emissions Class: Tier 4 Final (USA/CA)

Drive -

- Maximum Speed: 40 km/h (25 mph)
- Outer Turning Radius: 2,550 2,740 mm (100 108")
- Type of steering: Articulated Steering
- Drive Train: Fully Hydrostatic
- Gradeability: 50 %

Dimensions -

- Length: 3,800 4,600 mm / 149 181"
- Width: 1,200 1,600 mm / 47 63"

- Height: 1,995 mm / 79"
- Wheelbase: 1.750 mm / 69"

Weights

- Unladen Weight: 2,000 2,500 kg / 4,409 -5,511 lbs
- Axle Capacity (Front): 2,500 kg (5,511 lbs)
- Axle Capacity (Rear): 2,500 kg (5,511 lbs)
- Gross Vehicle Weight: 3,500 4,000 kg (7,716 - 8,818 lbs)

Sweeping System -

- Sweeping Width: 1,200 2,350 mm / 47 92"
- Hopper Volume: 1.5 m³ (2 yd³)

- Vacuum Suction Power: 8.000 m³ / 4.700 cfm)
- Recirculation Tank: 200 ℓ / 52 US Gal

CV Highlights

Ultra-Clean Engine



75 HP Hatz engine, meeting Stage V / Tier 4 final emissions regulations without requiring Ad Blue.



Large Operator Cabin

The new cabin is much bigger, and has a more spacious and comfortable feel for operators working long shifts.



Easy Double Access

Entrance point has been re-designed for easier entry and exit, and both doors are fully functional for access.



Superb Heating & A/C

Heating and Air Conditioning functions have been supercharged to deliver even more effective airflow in the cabin.



Armrest & Controls

All sweeper functions are controlled from a fully adjustable, floating ergonomic armrest, giving the operator precise control.



Onboard Diagnostics

Large in-cabin screen displays the machine's critical diagnostics for super simple remote troubleshooting.



Minimised Noise Pollution

Powerful performance at lower fan speed and engine RPM ensures noise pollution is minimised for night operation.



Incredibly Simple Operation

Switch from drive mode to sweep mode and back again with a single button, enabling fast, seamless transitions.

Multihog CV



Attachments and Applications







CV - Vacuum Sweeper



Rotary Mower



Folding V Plow





Street Cleaner





Folding V Plow & Drop Spreader



Multihog CV



www.amt-na.com

TRANSFORMING CITIES
EMPOWERING FUTURES